



## Plastic Tube Container TopPack Conical

**Plastic packaging tubes for solid carbide cutters and solid carbide drills**

### Material

→ Polypropylene (PP)

### Product Range

- PP transparent or in various attractive standard colors
- outer part and inner part are packed separately in individual cartons

### Product features TopPack Conical

- universal application for tools with different dimensions due to ratchet length adjustment
- in TopPack inner and outer tubes, shank tools, milling cutters, and drills are centrally positioned in the pack - regardless of tool diameter
- delicate cutting edges are protected by the internal conical ribs
- grooves in bases provide good grip for easy opening
- durable and reusable
- sturdy, oil, and moisture resistant
- For information on the compatibility between the outer part and the inner part and the resulting usable length, please refer to the last page of the data sheet

## Product Range: TopPack Conical / TopPack Conical Outer Part

Article	Part type	Inner diam.	Inner length	Packaging Unit
TPKZR 8x42 A	outer part	8mm	42mm	1000
TPKZR 8x52 A	outer part	8mm	52mm	1000
TPKZR 8x70 A	outer part	8mm	70mm	1000
TPKZR 13x56 A	outer part	13mm	56mm	500
TPKZR 13x74 A	outer part	13mm	74mm	1000
TPKZR 13x97 A	outer part	13mm	97mm	500
TPKZR 18x45 A	outer part	18mm	45mm	500
TPKZR 18x63 A	outer part	18mm	63mm	500
TPKZR 18x83 A	outer part	18mm	83mm	500
TPKZR 20x62 A	outer part	20mm	62mm	250
TPKZR 20x89 A	outer part	20mm	89mm	250
TPKZR 26x82 A	outer part	26mm	82mm	300
TPKZR 26x124 A	outer part	26mm	124mm	300

## Product Range: TopPack Conical / TopPack Conical Inner Part

Article	Part type	Inner diam.	Inner length	Packaging Unit
TPKZR 8x38/1 I	inner part	8mm	38mm	1000
TPKZR 8x58/1 I	inner part	8mm	58mm	1000
TPKZR 13x60/1 I	inner part	13mm	60mm	500
TPKZR 13x79/1 I	inner part	13mm	79mm	1000
TPKZR 18x47/1 I	inner part	18mm	47mm	500
TPKZR 18x61/1 I	inner part	18mm	61mm	500
TPKZR 18x90/1 I	inner part	18mm	90mm	500
TPKZR 20x70/1 I	inner part	20mm	70mm	250
TPKZR 20x91/1 I	inner part	20mm	91mm	250
TPKZR 26x90/1 I	inner part	26mm	90mm	300
TPKZR 26x136/1 I	inner part	26mm	136mm	300

# TopPack Conical: Usable Length

Outer part	Suitable inner part	Shank diam. (mm)	Shank diam. (in)	Usable length (mm)	Usable length (in)
TPKZR 8x42 A	TPKZR 8x38 /1I	3-8	1.18-3.15	50-67	1.97-2.64
	TPKZR 8x58 /1I	3-8	1.18-3.15	60-81	2.36-3.19
TPKZR 8x52 A	TPKZR 8x38 /1I	3-8	1.18-3.15	58-77	2.28-3.03
	TPKZR 8x58 /1I	3-8	1.18-3.15	60-91	2.36-3.58
TPKZR 8x70 A	TPKZR 8x38 /1I	3-8	1.18-3.15	76-95	2.99-3.74
	TPKZR 8x58 /1I	3-8	1.18-3.15	72-109	2.83-4.29
TPKZR 13x56 A	TPKZR 13x60 /1I	6-13	2.36-5.12	62-87	2.44-3.43
	TPKZR 13x79 /1I	6-13	2.36-5.12	82-117	3.23-4.61
TPKZR 13x74 A	TPKZR 13x60 /1I	6-13	2.36-5.12	76-105	2.99-4.13
	TPKZR 13x79 /1I	6-13	2.36-5.12	82-125	3.23-4.92
TPKZR 13x97 A	TPKZR 13x60 /1I	6-13	2.36-5.12	100-130	3.94-5.12
	TPKZR 13x79 /1I	6-13	2.36-5.12	100-150	3.94-5.91
TPKZR 18x45 A	TPKZR 18x47 /1I	14-18	5.51-7.09	51-72	2.01-2.83
	TPKZR 18x61 /1I	14-18	5.51-7.09	69-86	2.72-3.39
TPKZR 18x63 A	TPKZR 18x61 /1I	14-18	5.51-7.09	69-100	2.72-3.94
TPKZR 18x83 A	TPKZR 18x90 /1I	14-18	5.51-7.09	100-148	3.94-5.83
TPKZR 20x62 A	TPKZR 20x70 /1I	14-20	5.51-7.87	75-102	2.95-4.02
TPKZR 20x89 A	TPKZR 20x91 /1I	14-20	5.51-7.87	103-155	4.06-6.10
TPKZR 26x82 A	TPKZR 26x90 /1I	20-26	7.87-10.24	100-138	3.94-5.43
	TPKZR 26x136 /1I	20-26	7.87-10.24	138-184	5.43-7.24
TPKZR 26x124 A	TPKZR 26x90 /1I	20-26	7.87-10.24	138-180	5.43-7.09
	TPKZR 26x136 /1I	20-26	7.87-10.24	138-208	5.43-8.19